


Beam Switcher

Versatile Accessory for Microscopy and Optogenetics Applications

Introduction

The Beam Switcher accessory allows Prizmatix LEDs installed on the microscope to be used either for the microscope epi-fluorescence illumination or for illuminating via a fiberoptic Especially useful for in situ probe. Optogenetics studies, the Beam switcher saves cost and space, yet enables maximum flexibility in experiment design.

Alternatively, the Beam Switcher is useful for assembling White LED and single color LED at fluorescence microscopes. Please see below for application examples.



Ver. 06

Key Features

- Assembles directly on the microscope epi-fluorescence illumination port.
- Modular adapters for all major microscopes brands.
- Accepts all types of Prizmatix UHP-Mic-LED, VHP-Mic-LED, Mic-LED products.
- Accepts all types of multimode optical fibers.

Applications

- Fluorescence microscopy
- Optogenetics


Specifications

Wavelength range	nm	350 – 1100
Connector for Optical fiber		SMA / FC / ST
Adaptors to Microscope epi-		Olympus, Nikon, Zeiss or Leica
fluorescence illumination port		
Connection to Prizmatix LED heads		By 4 pin connection system
Connection to other systems		SM1 thread
Optional components		C-Mount and all SM1 components


Main Office European Sales Office		North America Sales Office
Phone: +972-72-2500097	Phone: +44-(0)77-9172-9592	Phone: +1-(248)-436-8085
Fax: +972-72-2500096	Fax: +44-(0)20-7681-2977	Fax: +1-(248)-281-5236
sales@prizmatix.com	sales.europe@prizmatix.com	sales.usa@prizmatix.com
P.O.B.	244 Givat-Shmuel 5410102	, Israel

Prizmatix

Application Examples



Mechanical Drawings



Main Office	European Sales Office	North America Sales Office
Phone: +972-72-2500097	Phone: +44-(0)77-9172-9592	Phone: +1-(248)-436-8085
Fax: +972-72-2500096	Fax: +44-(0)20-7681-2977	Fax: +1-(248)-281-5236
sales@prizmatix.com	sales.europe@prizmatix.com	sales.usa@prizmatix.com
P.O.B.	244 Givat-Shmuel 5410102,	, Israel

Prizmatix

Optional Accessories

Filter Wheel:

The UHP-Mic-LED can equipped with a 6 positions filter wheel at the beam output. This accessory is especially useful for UHP-Mic-LED-White light source. Please see video clip http://www.youtube.com/watch?v=iv7dlwLHaUE&feature=plcp at time 1:58 for details.

Fiber Coupler Adaptor:

The UHP-Mic-LED can be easily changed from direct microscope coupling to fiber coupled LED configuration by means of Fiber Coupler Adaptor (SMA, CF or ST connector). This adaptor can be easily assembled by a user on the Mic-LED output. Please see video clip <u>http://www.youtube.com/watch?v=iv7dlwLHaUE</u> at time: 1:17 for more details.

Liquid Light Guide Adaptor:

The Microscope-LED can be easily changed from direct microscope coupling to Liquid Light Gide coupled LED configuration by means of LLGA Adaptor. This adaptor can be easily assembled by a user on the Mic-LED output. Please see video clip http://www.youtube.com/watch?v=iv7dlwLHaUE at time: 2:30 for more details.


Collimator:

The output from optical fiber is divergent according to fiber NA. In order to reduce the divergence angle a collimator module can be used. Prizmatix collimator was especially designed to fit thick core high NA Polymer Optical Fibers. See more info at https://www.prizmatix.com/optics/collimator.htm

Fiber Bundles:

To combine outputs of multiple LEDs a Y-shaped fiber bundle with two or more input branches can be used. Prizmatix can help to configure and build custom fiber bundles for specific applications. See more info at:

https://www.prizmatix.com/dev/Custom-Fiber-Optic-Assemblies.htm



Main Office	European Sales Office	North America Sales Office
Phone: +972-72-2500097	Phone: +44-(0)77-9172-9592	Phone: +1-(248)-436-8085
Fax: +972-72-2500096	Fax: +44-(0)20-7681-2977	Fax: +1-(248)-281-5236
sales@prizmatix.com	sales.europe@prizmatix.com	sales.usa@prizmatix.com
P.O.B.	244 Givat-Shmuel 5410102	, Israel